



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/714,424	11/17/2003	Rajendran Nair		9491
	7590	04/21/2006		
Raj Nair ComLSI Inc. 3838 E. Encinas Ave. Gilbert, AZ 85234			EXAMINER GRANT, ROBERT J	
			ART UNIT 2838	PAPER NUMBER

DATE MAILED: 04/21/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

<h2 style="margin: 0;">Office Action Summary</h2>	Application No. 10/714,424		Applicant(s) NAIR, RAJENDRAN	
	Examiner Robert Grant		Art Unit 2838	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

1) ☒ Responsive to communication(s) filed on 15 January 2006.

2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.

3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

4) ☒ Claim(s) 1-20 is/are pending in the application.

4a) Of the above claim(s) _____ is/are withdrawn from consideration.

5) ☐ Claim(s) _____ is/are allowed.

6) ☐ Claim(s) _____ is/are rejected.

7) ☐ Claim(s) _____ is/are objected to.

8) ☒ Claim(s) 1-20 are subject to restriction and/or election requirement.

Application Papers

9) ☐ The specification is objected to by the Examiner.

10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).

11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

1) ☐ Notice of References Cited (PTO-892)

2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)

3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____

4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____

5) ☐ Notice of Informal Patent Application (PTO-152)

6) ☐ Other: _____

Election/Restrictions

1. Restriction to one of the following inventions is required under 35 U.S.C. 121:
 - I. Claims 1, 4-13, and 18 are drawn to battery monitoring, classified in class 320, subclass 134.
 - II. Claims 2, 14-15, and 19 are drawn to current flow estimation, classified in class 324, subclass 76.1.
 - III. Claims 3, 16-17, and 20 are drawn to estimating the device temperature, classified in class 257, subclass 470.

2. Inventions of group 1 and 2 are related as combination and subcombination. Inventions in this relationship are distinct if it can be shown that (1) the combination as claimed does not require the particulars of the subcombination as claimed for patentability, and (2) that the subcombination has utility by itself or in other combinations (MPEP § 806.05(c)). In the instant case, the combination as claimed does not require the particulars of the subcombination as claimed because group 1 does not require these. The subcombination has separate utility such as estimating the current that is flowing through a gating device, as opposed to regulating current.

3. Inventions 1 and 3 are related as subcombinations disclosed as usable together in a single combination. The subcombinations are distinct from each other if they are

shown to be separately usable. In the instant case, group 1 has separate utility such as being an apparatus capable of charging a battery. Group 3's method of estimating the device temperature is useful in any device that contains a PN junction. See MPEP § 806.05(d).

4. Inventions of group 2 and 3 are related as subcombinations disclosed as usable together in a single combination. The subcombinations are distinct from each other if they are shown to be separately usable. In the instant case, invention of group 2 has separate utility such as estimating the current that is flowing through a protective circuit. Group 3's method of estimating the device temperature is useful in any device or circuit where temperature affects linearity of the device, such as a measurement circuit. See MPEP § 806.05(d).

5. Because these inventions are distinct for the reasons given above and the search required for Group 1 is not required for Group 2, the search required for Group 1 is not required for Group 3, the search required for Group 2 is not required for Group 3, therefore restriction for examination purposes as indicated is proper.

Response to Arguments

6. Applicant's election with traverse of the restriction of groups I, II, and III, in the reply filed on 1-15-06 is acknowledged. The traversal is on the grounds that both groups II and III require some of the key aspects of group I. This is not found persuasive because as per the applicants own admission, "Group-II cannot be employed separately unless aspects of group-I are embodied,...", therefore Group-II is a non-operative invention, and is therefore subject to a rejection under U.S.C 101, lack of utility. Similarly, "Group-III's method may not be applied to any device that contains a PN junction, ... , since such devices do not embody key aspects of Group-I,...", therefore Group-III is a non-operative invention, and is therefore subject to a rejection under U.S.C 101, lack of utility.

The requirement is still deemed proper and is therefore made FINAL.

Conclusion

7. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of


the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Robert Grant whose telephone number is 571-272-2727. The examiner can normally be reached on M-F 8:30-5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Sherry can be reached on 571-272-2084. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

RG


Adolf Deneke Berhane
Primary Examiner